

## Powers Tri-Cutter SDS-Max Drill Bits

Powers® Tri-Cutter® SDS-Max® carbide drill bits are designed for use in a rotary hammer equipped with an SDS-Max® type chuck. The bits are manufactured to conform to ANSI Standard B212.14 and can be used to drill in concrete, block, brick, and soft stone. The Tri-Cutter® head design has three main cutters in a "Y" configuration, which made up to 32% less noise and vibration compared with the "X" cutting head.

### Powers® Tri-Cutter® SDS-Max® Carbide Drill Bits

Item Code

Drill Size x Usable Length x

[Click for Price](#)

Overall Length

POW 08801

1/2" x 8" x 13" \*

[Click for Price](#)

POW 08802

1/2" x 16" x 21" \*

[Click for Price](#)

POW 08805

9/16" x 16" x 21" \*

[Click for Price](#)

POW 08806

9/16" x 16" x 21" \*

[Click for Price](#)

POW 08809

5/8" x 8" x 13"

[Click for Price](#)

POW 08810

5/8" x 16" x 21"

[Click for Price](#)

POW 08812  
5/8" x 31" x 36"  
[Click for Price](#)

POW 08815  
11/16" x 16" x 21"  
[Click for Price](#)

POW 08817  
3/4" x 8" x 13"  
[Click for Price](#)

POW 08818  
3/4" x 16" x 21"  
[Click for Price](#)

POW 08820  
3/4" x 31" x 36"  
[Click for Price](#)

POW 08829  
7/8" x 8" x 13"  
[Click for Price](#)

POW 08830  
7/8" x 16" x 21"  
[Click for Price](#)

POW 08833  
1" x 8" x 13"  
[Click for Price](#)

POW 08834  
1" x 16" x 21"  
[Click for Price](#)

POW 08836  
1" x 31" x 36"  
[Click for Price](#)

POW 08843  
1-1/8" x 10" x 15"  
[Click for Price](#)

POW 08844  
1-1/8" x 16" x 23"  
[Click for Price](#)

POW 08846  
1-1/4" x 10" x 15"

[Click for Price](#)

POW 08847  
1-1/4" x 16" x 23"  
[Click for Price](#)

POW 08848  
1-1/4" x 31" x 36"  
[Click for Price](#)

POW 08853  
1-3/8" x 16" x 23"  
[Click for Price](#)

POW 08859  
1-1/2" x 16" x 23"  
[Click for Price](#)

\*1/2" and 9/16" sizes have a single tip and standard helical fluting

Packed one per pouch